



SAFETY DATA SHEET

OptiYield Diamond

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Trade name:	OptiYield Diamond
-------------	-------------------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:	None known Restricted to professional users.				
Use descriptors (UK REACH):	<table border="1"><thead><tr><th>Sectors of use</th><th>Description</th></tr></thead><tbody><tr><td>SU 1</td><td>Agriculture, forestry, fishery</td></tr></tbody></table>	Sectors of use	Description	SU 1	Agriculture, forestry, fishery
Sectors of use	Description				
SU 1	Agriculture, forestry, fishery				
Uses advised against :	None known.				

1.3 Details of the supplier of the safety data sheet

Manufacture name and address	Microferm Ltd Spring Lane North, Malvern Link. WR14 1BU Worcestershire United Kingdom +44 1684 568434 https://www.microferm.co.uk/
Contact person:	Microferm Technical Department
E-mail:	sds@microferm.co.uk
Supplier Name and address	Emerald Research Ltd Unit 2, Tech Box Hub The AgriTech Centre, Hartpury University, GL19 3BE Gloucestershire United Kingdom +44 1242 506206 https://www.emeraldresearchltd.com/
Contact person	Emerald Research Technical Department
E-mail	info@emeraldresearchltd.com
Revision:	19/04/2024
SDS Version:	3
Date of previous version	19/04/2024 (2.0)

1.4 Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 "First aid measures".




SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1 Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed
Skin Corr. 1; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.
Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictogram(s):	
Signal word:	Danger
Hazard statement(s):	Harmful if swallowed. (H302) Causes severe skin burns and eye damage. (H314) Toxic to aquatic life with long lasting effects. (H411)
Precautionary statement(s):	
General:	-
Prevention:	Do not breathe vapour/mist. (P260) Avoid release to the environment. (P273) Wear eye protection/protective gloves/protective clothing. (P280)
Response:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
Storage:	-
Disposal:	Dispose of contents/container in accordance with local regulation (P501)
Hazardous substances:	Phosphorous acid;phosphonic acid potassium hydroxide;caustic potash Calcium dihydroxide
Additional labelling:	Not applicable.

2.3 Other hazards

Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
----------------------	--



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable. This product is a mixture.

3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
phosphorous acid;phosphonic acid	CAS No.: 13598-36-2 EC No.: 237-066-7 UK- REACH: Index No.: 015-157-00-0	25-40%	Acute Tox. 4, H302 Skin Corr. 1, H314	
potassium hydroxide;caustic potash	CAS No.: 1310-58-3 EC No.: 215-181-3 UK- REACH: Index No.: 019-002-00-8	3-5%	Acute Tox. 4, H302 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
Calcium dihydroxide	CAS No.: 1305-62-0 EC No.: 215-137-3 UK- REACH: Index No.:	3-5%	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1]
zinc oxide	CAS No.: 1314-13-2 EC No.: 215-222-5 UK- REACH: Index No.: 030-013-00-7	1-3%	Acute Tox. 4, H302 Acute Tox. 4, H332 Repr. 1A, H360 STOT RE 2, H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
copper sulphate pentahydrate	CAS No.: 7758-99-8 EC No.: 616-477-9 UK- REACH: Index No.: 029-023-00-4	<0.05%	Acute Tox. 4, H302 (ATE: 481.00 mg/kg) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
Eye contact:	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
Burns:	Not applicable.

4.2 Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.



SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Not applicable.

5.2 Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire- extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

- **Nitrogen oxides (NO_x)**
- **Carbon oxides (CO / CO₂)**
- **Some metal oxides**

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

6.2 Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4 Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:	Keep only in original packaging.
Storage temperature:	Dry, cool and well ventilated Protect from sunlight.
Incompatible materials:	Metal

7.3 Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Potassium hydroxide;caustic potash

Short term exposure limit (15 minutes) (mg/m³): 2

Calcium dihydroxide

Long term exposure limit (8 hours) (mg/m³): 5(inhalable)/1(respirable)

Short term exposure limit (15 minutes) (mg/m³): 4(respirable)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Calcium dihydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m ³
Long term – Local effects - Workers	Inhalation	1 mg/m ³
Short term – Local effects - General population	Inhalation	4 mg/m ³
Short term – Local effects - Workers	Inhalation	4 mg/m ³

phosphorous acid;phosphonic acid

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	420 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	830 µg/kgbw/day
Long term – Systemic effects - General population	Inhalation	720 µg/m ³
Long term – Systemic effects - Workers	Inhalation	2.94 mg/m ³
Long term – Systemic effects - General population	Oral	420 µg/kgbw/day

Potassium hydroxide;caustic potash

Duration:	Route of exposure:	DNEL:
Long-term-Systemic effects-General population	Inhalation	1 mg/m ³
Long term-Local effects- Workers	Inhalation	1 mg/m ³

Zinc oxide

Duration :	Route of exposure:	DNEL:
Long term -Systemic effects – General population	Dermal	83 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	83 mg/kg bw/day
Long term – Local effects - Workers	Inhalation	500 µg/m ³
Long term – Systemic effects - General population	Inhalation	2.5 mg/m ³
Long term - Systemic effects - Workers	Inhalation	5 mg/m ³
Long term – Systemic effects - General population	Oral	830 µg/kgbw/day

PNEC

Calcium dihydroxide

Route of exposure	Duration of Exposure	PNEC
Freshwater		490 µg/L
Intermittent release (freshwater)		490 µg/L
Marine water		320 µg/L
Sewage treatment plant		3 mg/L
Soil		1.08 g/kg

Phosphorous acid;phosphonic acid

Route of exposure	Duration of Exposure	PNEC
Freshwater		153 µg/L
Intermittent release (freshwater)		153 µg/L
Marine water		153 µg/L

Zinc oxide

Route of exposure	Duration of Exposure	PNEC
Freshwater		14.4-17.9 µg/L
Freshwater sediment		146.9-182.8 mg/kg
Marine water		7.2-9 µg/L
Marine water sediment		162.2-201.9 mg/kg
Sewage treatment plant		100-124.5 µg/L
soil		83.1-103.4 mg/kg

8.2 Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.



General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face
Measures to avoid environmental exposure:	Keep damming materials near the workplace. If possible, collect spillage during work.


Individual protection measures, such as personal protective equipment

Generally:	Wash contaminated clothing before reuse. Use only UKCA marked protective equipment.
------------	--


Respiratory Equipment:

Type	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				



Skin protection:

Recommended	Type/Category	Standards	
Polypropylene	4, 5, 6 / III	-	



Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0,3	> 480	EN374-2, EN374-3, EN388	



Vinyl/PVC	-	> 480	EN374-3, EN388	
Nitrile/Neoprene	1,9	> 480	EN374-2, EN374-3, EN388	

Eye protection:

Type	Standards	
Face shield	EN166	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Blue
Odour / Odour threshold:	None
pH	1.7
Density (g/cm ³):	1.24
Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.
Particle characteristics:	Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C):	Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
Boiling point (°C):	Testing not relevant or not possible due to the nature of the product
Vapour pressure:	Testing not relevant or not possible due to the nature of the product.
Relative vapour density:	Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C):	Testing not relevant or not possible due to the nature of the product

Data on fire and explosion hazards

Flash point (°C):	Testing not relevant or not possible due to the nature of the product.
Flammability (°C):	Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C):	Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v):	Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water:	Completely soluble
n-octanol/water coefficient (LogKow):	Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L):	Testing not relevant or not possible due to the nature of the product.

9.2 Other information

Oxidizing properties:	Testing not relevant or not possible due to the nature of the product.
Other physical and chemical parameters:	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Metal

10.6 Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Harmful if swallowed.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None Known

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Based on available data, the classification criteria are not met.



12.3 Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6 Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7 Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms. This product contains substances, which may cause adverse long-term effects to the aquatic environment

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 6 - Acute toxicity

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

02 01 08* Agrochemical waste containing dangerous substances

Specific labelling

Contaminated packing

EWC code:	02 01 08* Agrochemical waste containing dangerous substances
-----------	--

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S.	Transport hazard class: 8	III	Yes	Limited



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env* *	Other information :
			Label: 8 Classification code: C9 <input type="checkbox"/> <input type="checkbox"/>			quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S.	Transport hazard class: 8 Label: 8 Classification code: C9 <input type="checkbox"/> <input type="checkbox"/>	III	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S.	Transport hazard class: 8 Label: 8 Classification code: C9 <input type="checkbox"/> <input type="checkbox"/>	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2X

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

No data available.



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	Restricted to professional users. People under the age of 18 shall not be exposed to this product.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes
Additional information:	Not applicable.
Sources:	The Management of Health and Safety at Work Regulations 1999. Control of Major Accident Hazards (COMAH) Regulations 2015. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2 Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage. H315, Causes skin irritation.

H318, Causes serious eye damage. H319, Causes serious eye irritation. H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H360, May damage fertility or the unborn child.

H373, May cause damage to organs through prolonged or repeated exposure. H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects

The full text of identified uses as mentioned in section 1

SU 1 = Agriculture, forestry, fishery

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]



CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Simon Fox MD Emerald Research Ltd

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification

Country-language: GB-en